

CHECK OUT OUR
TOP FLUSHING
PRODUCTS

Pollardwater™

(800) 437-1146 | POLLARDWATER.COM

FLUSHING SELECTION



\$1,575.00

**TRUCKFLUSH™
DIFFUSER**

PTRUCKFLUSH

See page 2



\$925.00

**HYDRANTPRO™ KIT
PPHYDPROKIT**

See page 4



\$129.95

**SINGLE JACKET FIRE
HOSE 2-1/2" X 15'**

A2130250015NSTALRL

See page 8

**TOP
PICKS
INSIDE**

DECHLORINATION

Pollardwater

STARTING AT
\$1,045.00



PLPD250



PLPD250ALUM



PLPDPITOTKIT



PLPDTABLETSCREEN

LPD-250 DECHLORINATING DIFFUSERS

- Diffuse the flow of the hydrant and trap debris
- Flow Rate: 200–1250 gpm
- Allows you to measure flow with optional pitot (PLPDPITOTKIT)
- Neutralize chlorine/chloramines (10 ppm or less)
- Designed for use with LPD-CHLOR™ or VITA-D-CHLOR™ (tablet screen required with VITA-D-CHLOR™)
- Attach the LPD-250 (ALUM) directly to a hydrant or the end of a hose
- Comes standard with a 2-1/2" FNST inlet
- Alternate inlet threads available
- Available in lightweight aluminum (yellow) or steel construction (orange)
- Works great with SHO-FLOW® Bluetooth Flow Meter (see page 5)

SKU	Type	Price
PLPD250	Steel Diffuser	\$1,045.00
PLPD250ALUM	Aluminum Diffuser	\$1,095.00
PLPDPITOTKIT	Pitot Kit	\$179.00
PLPDTABLETSCREEN	Tablet Screen	\$79.00
PW0000010	LPD-Chlor™ Tablets	\$170.00


Pollardwater

\$1,575.00



TRUCKFLUSH™ DIFFUSER

- Allows for high velocity flushing to maximize scouring power of water mains
- Flow Rate: Up to 2500 gpm
- Connects to a 2" square receiver hitch
- 4" Female Quick Connect Inlet (2-1/2" FNST inlet adapter sold separately)
- Dechlorinates potable water (2 ppm Cl₂ or less) with the addition of a PTFDECHLORKIT and Vita-D-Chlor™ Tablets
- Removable top allows for easy access to dechlorination basket
- Designed and tested for use with Vita-D-Chlor™ Tablets
- Includes 15' red rubber hose, 4-1/2" female NST x 4" male quick connect coupling
- Works great with SHO-FLOW® Bluetooth Flow Meter (see page 5)



SKU	Type	Price
PTRUCKFLUSH	TruckFlush Diffuser with Hose	\$1,575.00
PTFDECHLORKIT	TruckFlush Dechlor Kit Add-on	\$275.00

VITA-D-CHLOR™

STARTING AT
\$65.00



VITA-D-CHLOR™ TABLETS

- 100% organic vitamin C chemistry
- Tablets contain 75% ascorbic acid (vitamin C) to quickly neutralize chlorine and chloramines in water, waste water and process water
- No effect on dissolved oxygen in receiving bodies of water
- For use in all types of tablet feeders and diffusers
- Shelf Life: 3 years in ideal conditions

SKU	Pkg Qty	Price
PVITADCHLOR	6	\$65.00
PVITADCHLOR20	20	\$135.00
PVITADCHLOR40	40	\$235.95
PVITADCHLOR140	140	\$594.95

Pollardwater

\$134.95



DECHLORINATION MATS

- Dechlorination mats are reusable and simple to use
- For use with most dechlorination tablets
- Size: 36" x 48"
- Number of Pockets: 24
- Great for emergencies where other dechlorination devices aren't practical
- Heavy-duty, reinforced polyester/nylon material with grommets

SKU	Color	Price
PDECHLORMAT	Black	\$134.95
PDECHLORMATHV	High-Visibility Orange	\$134.95

Pollardwater

\$1,775.00



SUPER DECHLORPRO™

- Designed for dechlorination of high chlorine concentration projects
- Flow Rate: Up to 1250 gpm
- For use with LPD-250 (ALUM) where the tablet chamber becomes the point of liquid chemical injection
- Ideal for new water main dechlorination
- Simple set up and operation
- Accommodates larger flow rates and high chlorine disinfection applications
- LPD-250 (ALUM) and PLDPITOTKIT sold separately

SKU	Type	Price
PSUPERDECHLORPRO	Super Dechlorpro™	\$1,775.00
PCAPTOR5	CAPTOR® 5 Gallon	\$74.95

STARTING AT
\$74.95



CAPTOR®

- Active Ingredient: 30% Calcium Thiosulfate
- pH: 6.5-8.0
- Environmentally friendly
- Ready-to-use liquid; no chemicals to mix
- DOT safe; nonhazardous
- Will last more than a year when stored in ideal conditions



SKU	Size	Price
PCAPTOR5	5 gal	\$74.95
TCAPTOR55	55 gal	\$459.95
ACAPTOR275	275 gal	\$1,935.00

\$975.00

ZDe-CHLORINATOR NEMA 100



- Connection: 2-1/2" FNST
- Flow Rate: 150-900 gpm
- Dechlorinates up to 4 ppm chlorine
- Designed and tested for use with Vita-D-Chlor™ Tablets
- Lightweight aluminum with aircraft precision welds for durability
- Has adjustable diverter nozzle with removable diffuser
- No mixing, feed solution or rate valve to manage
- Weighs 14 lbs

SKU	Price
PZDE100	\$975.00

DECHLOR DEMON™

STARTING AT
\$1,752.00



DECHLOR DEMON™

- Range: 0-50 ppm chlorine
- Low friction loss
- Conserves dechlorination agent
- Compact, short length means no added stress to hydrant nozzles
- Used in conjunction with the Hose Monster® diffuser
- Neutralize chlorine in water during testing or flushing without affecting flow test results or adding stress to hydrant nozzles
- Works off of flow and not a venturi

SKU	Connection	Flow Rate	Includes	Price
HDD2H	2-1/2" FxM NST	500-1400 gpm	Mixing Tank; 1 gal	\$1,752.00
HDD4	4" FxM NST	1075-2940 gpm	Mixing Tank; 10 gal	\$2,632.00
HDD4H	4-1/2" FxM NST	1045-2865 gpm	Mixing Tank; 10 gal	\$2,632.00



\$436.00

MD100 CHLORINE COLORIMETER



- Measure free (residual) and total chlorine for EPA compliance
- Range of 0.01-2.00 mg/L, 0.1-8.0 mg/L
- Features 16-point data recall and large, backlit LCD
- No separate light shield to misplace
- Waterproof, ergonomic design for field and lab use
- Includes DPD (100 free and 100 total tests), 10-mL sample cells, manual, case and batteries
- Optional accessories include a secondary standards kit and replacement DPD

SKU	Price
TSC45010	\$436.00

Pollardwater

\$925.00

HYDRANTPRO™ KIT

- All-in-one flow and pressure kit for 2-1/2" NST
- Max Flow: 2120 gpm
- Static pressure cap with 100 and 200 psi gauges
- Includes HydrantPro™ 160 diffuser, extra inner tubes, remote reader and carrying case



SKU	Price
PPHYDPROKIT	\$925.00



\$2,414.00

LITTLE HOSE MONSTER KIT

- Reads flows from 493-1305 gpm
- Includes 2" grooved pitotless nozzle
- 4" Pressure gauges - 0-100, 0-160 psi
- 2-1/2" FxM NST gate valve
- Static cap with swivel connection
- Hydrant and spanner wrench
- Case with wheels and telescoping handle
- Hose not included



SKU	Price
HHFTKLH	\$2,414.00

Pollardwater

\$260.00

ECONOMY FLOW TEST KIT

- Economy flow and pressure testing kit
- Everything you need to flow and pressure test for hydrants
- Includes handheld pitot, 2-1/2" FNST pin lug cap with bleeder valve, 2-1/2" 100 psi flow gauge, 2-1/2" 160 psi pressure gauge and quick-connect fittings, assembled in a case



SKU	Price
PP672EK1	\$260.00

Pollardwater

\$499.50

HYDRANTPRO™ DIFFUSERS

- Original hydrant flow and flushing diffuser
- Dual-read gauge on flow models
- Aluminum construction
- 2-1/2" FNST swivel connection



SKU	Type	Flow Rate	Price
PHYDPRO100	HydrantPro™ 100	100 psi/1680 gpm	\$499.50
PHYDPRO160	HydrantPro™ 160	160 psi/2120 gpm	\$499.50
P190140075525	Carrying Case	-	\$79.00

Pollardwater

\$629.00

PUMPER PORT DIFFUSERS

- Original hydrant flow and flushing lightweight aluminum swivel diffuser for large diameter hydrant ports
- Swivels to aim flow where discharged water will minimize property damage
- Lightweight aluminum swivel diffuser with gauge
- With Piezo tube assembly and 100 psi liquid-filled gauge
- Storz connections available



SKU	Type	End Connection	Price
PP67514LF	Diffuser with Gauge	4" FNST	\$629.00
PP67502LF	Diffuser with Gauge	4-1/2" FNST	\$629.00
P275160100313	Carrying Case	-	\$199.00

Pollardwater

\$750.00

PROFESSIONAL FLOW TEST KIT

- Complete professional flow and pressure kit
- Includes handheld pitot, 2-1/2" FNST long handle cap with bleeder valve, 2-1/2" 100 psi and 160 psi flow gauges with quick connections, 3-1/2" 160 psi pressure gauge, hydrant flow gauge assembly 100 psi/gpm, 2-1/2" FNST flow nozzle and adjustable hydrant/spanner wrench, all assembled in a case



SKU	Price
PP672FK1	\$750.00

\$1,550.00



AKRON FLOW TEST KITS

- Flow test kit with changeable tips for a variety of flows
- Flow Rate: 151-1,851 gpm
- 2-1/2" swivel FNST
- Includes 160 psi gauge, (5) outlet tips (1-1/2", 1-3/4", 2", 2-1/4", 2-1/2") and case

SKU	Price
AFTKLK	\$1,550.00

Pollardwater

\$375.50



FLOW & PRESSURE KITS

- High-quality pressure kit with case
- Designed to test hydrants, hose bibbs and static pressure
- Max Flow: 1680 gpm
- Hose Bibb: 160 psi
- 2-1/2" FNST long-handled static cap with gauge
- Clamp on pitot with gauge
- GHT hose bibb tester can be pressed onto most fixtures

SKU	Max Flow	Hydrant Cap PSI	Price
PP67206LF	160 psi	-	\$375.50
PP67234LF	-	160 psi	\$375.50



NEW



SHO-FLOW® BLUETOOTH FLOW METER

- 2-1/2" FxM NST
- Turbine generated power to supply Bluetooth® technology
- Includes free app for your smart device
- Can be added to most flushing devices to provide discharge gpm
- Can be used as an inline device for sensitive areas where friction loss is a concern
- Displays GPM, LPM, GPS or LPS options in real time
- App is an easy install from Google Play or the App Store

SKU	Flow Rate	Price
TEFFNFNF300	50 - 300 gpm	\$975.00
TEFJNJNJ500	100 - 500 gpm	\$1,400.00
TEFJNJNJ1250	500 - 1250 gpm	\$1,400.00



\$2,356.00

BIG BOY HOSE MONSTER KITS

- Kit includes Big Boy Hose Monster™, 4" dual read gauge psi/gpm, hydrant gate valve, remote reader, 2-1/2" cap with 160 psi gauge, hydrant wrench, spanner wrench and carrying case
- Flow Rate: 766 - 2708 gpm
- Hose not included

SKU	Hydrant Gate Valve Size	Hose Required	Price
HFFTK4LH	4" FxM NST	A2160400010NSTRL	\$2,356.00
HFFTK45LH	4-1/2" x 4" FxM NST	HH45104	\$2,356.00

Pollardwater

\$202.50



HANDHELD PITOT

- (1) 3-1/2" liquid-filled gauge and carrying case
- Range: 0-200 psi
- Handheld pitot and hydrant flow testing
- Quick-disconnect makes easy work of switching gauges
- Durable chrome-plated finish for long wear
- Case has room for spare gauge (spare gauge not included)

SKU	Price
PP65954	\$202.50

STARTING AT \$975.00

\$429.00

MONARCH PRESSURE DATA LOGGER



- Great for recording pressures on hydrants or flow devices
- Using a logger on 1 or 2 hydrants, you can conduct a 2-hydrant flow test with 1 person—pressure readings on 1 logger and flow discharge on the other
- Free, easy-to-use Track-It™ software (Android platform only)
- Rugged, versatile and accurate
- Can be configured to record pressure and temperature or either parameter alone to maximize data storage space
- The sample storage rate can be set from 1 sample every 2 seconds to 1 sample every 24 hours
- 1/4" MNPT connection
- Includes: USB cable

SKU	Type	Price
M53960302	0-350psi, 1/4" MNPT logger	\$429.00
PP67597T	Pin Lug Cap; 2-1/2" FNST, 1/4" FNST Tap	\$56.95
PP675012	1/4" 3-way bleeder valve	\$29.50

Pollardwater

\$95.00



ECONOMY TEST CAPS & GAUGES WITH BLEEDER

- Cost-effective fire hydrant cap and gauge with bleeder valve
- This pin lug cap works with our standard hydrant wrench (PP66602)
- Material: Brass
- Includes 2-1/2" NST hose nozzle connection

SKU	Type	Pressure	Diameter	Price
PP67021ECON	-	100 psi	2-1/2"	\$95.00
PP67022ECON	-	160 psi	3-1/2"	\$95.00
PP67023ECON	-	200 psi	2-1/2"	\$95.00
P1150000240	Carrying Case	-	-	\$39.95

Pollardwater

STARTING AT
\$389.00

HYDRANTPRO™ DIFFUSERS

- Hydrant flushing diffuser only (less gauge)
- Aluminum construction
- 2-1/2" FNST swivel connection
- Optional case P1901400075525



PHYDPROFLUSH



PP67519/PP67518

SKU	End Connection	Price
PHYDPROFLUSH	2-1/2" FNST	\$389.00
PP67519	4" FNST	\$520.00
PP67518	4-1/2" FNST	\$520.00

Pollardwater

\$145.50

TEST CAPS & GAUGES WITH BLEEDER



- Long-handle fire hydrant cap and gauge
- Bleeder valve allows user to vent air and water from hydrant before taking readings
- 3-1/2" liquid-filled gauge
- 1/4" MNPT bottom mount
- Brass internals
- Includes 2-1/2" FNST chrome hose nozzle connection

SKU	Type	Pressure	Price
PP67021LF	-	100 psi	\$145.50
PP67022LF	-	160 psi	\$145.50
PP67023LF	-	200 psi	\$145.50
P1450000240	Carrying Case	-	\$128.95

HydrantSoftXL

\$550.00

FLOW TESTING SOFTWARE

- Calculate your hydrant flow test
- For a single hydrant or entire distribution system
- Save your data to the cloud
- No annual cloud fee
- Can be used on your smart phone, computer iPad or table
- Print reports in PDF
- Ability to change orifice size and coefficients based on the flow device or hydrant nozzle size used
- Shows water used in gallons



SKU	Price
SHYDRANTSFTXL	\$550.00

Pollardwater

STARTING AT
\$349.00

USA Made

FLUSHPRO DIFFUSERS

- Allows you to move the water away from the hydrant or discharge pump to help reduce property damage
- Keeps your hose on the ground for your personal safety
- Made from heavy-duty, lightweight PVC pipe
- A length of fire hose is required for proper function



SKU	End Connection	Price
PPFLUSHPRO	2-1/2" FNST	\$349.00
PFLUSHPROXL	4-1/2" FNST	\$745.00



\$1,108.00



HOSE MONSTER

- Classic steel flushing Hose Monster®
- Cancels the thrust
- Can be used with tablet and liquid dechlorinators
- Flow Rate: Up to 1500 gpm
- End Connection: 2-1/2" FNST swivel inlet
- Flushing unit only can be upgraded with pitot system

SKU	Price
HHM2HF	\$1,108.00



\$1,294.00



HOSE MONSTER

- Constructed out of steel with a precision machined internal orifice plate for accurate and consistent flow rates
- Flow tests will never be interrupted due to rocks and flushing debris flowing through the unit
- End Connection: 4 1/2" FNST
- Flow Rate: 1047-2867 gpm
- Gauge not included
- Weight: 45 lbs
- FM-approved

SKU	Price
HHM4H	\$1,294.00

\$42.50



PVC FLUSHING ELBOWS

- 45° flushing diffuser elbow
- End Connection: 2-1/2" FNST
- Economical
- For flushing only
- Lightweight
- Use 2 units for higher discharge

SKU	Price
W323DIR	\$42.50

Pollardwater



SKU	Type	Price
PKMODONST	2-1/2" Komodo with Nitrile Rubber Hose; 2-1/2" FxM NST, 15'	\$811.05
PGODZILLER	4-1/2" Godziller with Nitrile Rubber Hose; 4-1/2" FNST x 4" MQC, 15'	\$1,055.00

Pollardwater

\$1,330.00



MANHOLE FLUSH STAND

- Meets cross connection air gap requirements
- High visibility safety orange
- Allows flow to go directly into manhole or catch basin
- End Connection: 2-1/2" FNST
- Keeps street clear of standing water and reduces customer complaints
- Will fit 23"-30" manholes
- Works great with SHO-FLOW® Bluetooth Flow Meter (see page 5)

SKU	Price
PMHFLUSHSTAND	\$1,330.00

**STARTING AT
\$811.05**

TRUCK-MOUNTED DIFFUSERS

- Female inlet swivels for left or right hookups
- Connects to a 2" square receiver hitch
- Can be mounted from top or bottom
- Eliminates the need to mount a diffuser at each hydrant
- Can be used with tablet and liquid dechlorinators
- Works great with SHO-FLOW® Bluetooth Flow Meter (see page 5)

Pollardwater

\$53.00**KEMX PRESSURE GAUGES**

- End Connection: 1/4" MNPT
- Temperature Range: -4°F–150°F
- Diameter: 2-1/2"
- Range: 0-100 psi
- Intervals: 1.0psiF
- Vibration-resistant; glycerin-filled
- Rugged Zytel nylon case
- KEMX models are clog and freeze-resistant
- High-quality shock and wear-resistant industrial gauge
- Accuracy: $\pm 1.0\%$ of span
- Not approved for potable water applications

SKU	Price
T4106425	\$53.00

Pollardwater

STARTING AT
\$59.00**HYDRANTPRO™ REPLACEMENT GAUGES**

- Replacement HydrantPro gauges

SKU	Type	Flow Rate	Price
T6109099	PSI Only	300 psi	\$59.00
T6106990	Replacement Gauge	100 psi/1680 gpm	\$74.50
T6107134	Replacement Gauge	160 psi/2120 gpm	\$74.50

ABBOTT RUBBER
COMPANY, INC.STARTING AT
\$79.95**SINGLE JACKET FIRE HOSES**

- Specifically for flushing and flow testing
- 2-1/2" FNST X 2-1/2" MNST
- Max Pressure: 250 psi
- Aluminum rocker lug fittings
- Ozone-resistant tube
- Material: Rubber, polyester
- Custom lengths and threads are available upon request

SKU	Length	Price
A213025005NSTALRL	5'	\$79.95
A2130250010NSTALRL	10'	\$99.95
A2130250015NSTALRL	15'	\$129.95
A2130250025NSTALRL	25'	\$149.95
A2130250050NSTALRL	50'	\$214.95

TRANSDUCERS
direct**\$239.00****DATA LOGGER**

- New data logging wireless pressure gauge
- Bluetooth® certified wireless pressure transducer
- Long battery life
- Data logging capability to save pressure data that can be opened in an Excel spread sheet
- Free app works on Android, iOS current version and previous
- iPad, iPhone and more
- End Connection: 1/4" MNPT
- Battery Life: Supply 3.6V Proprietary replacement battery, 24 months, typical

SKU	Price
TTDWLBDL0250034	\$239.00

\$62.00**WIKI PRESSURE GAUGES**

- Most economical option
- Diameter: 4"
- End Connection: 1/4" MNPT
- Temperature Range: -40°F–140°F
- Vibration-resistant; glycerin-filled
- Stainless steel case
- Not approved for potable water applications
- Accuracy (4"): $\pm 1\%$ (ASME B40.1 Grade 1A)

SKU	Range	Intervals	Price
W50144278	0–60 psi	1.0 psi	\$62.00
W50144014	0–100 psi	2.0 psi	\$62.00
W50144022	0–200 psi	5.0 psi	\$62.00

ABBOTT RUBBER
COMPANY, INC.STARTING AT
\$99.95**DOUBLE JACKET FIRE HOSES**

- Designed for interior fire fighting and flow testing
- 2-1/2" FNST X 2-1/2" MNST
- Max Pressure: 400 psi
- Aluminum rocker lug fittings
- Ozone-resistant tube
- Material: Rubber, polyester
- Custom lengths and threads are available upon request

SKU	Length	Price
A215025005NSTALRL	5'	\$99.95
A2150250010NSTALRL	10'	\$114.95
A2150250015NSTALRL	15'	\$149.95
A2150250025NSTALRL	25'	\$189.95
A2150250050NSTALRL	50'	\$249.95

ABBOTT RUBBER
COMPANY, INC.STARTING AT
\$109.95**NITRILE RUBBER-COVERED
FIRE HOSES**

- Ideal for high-pressure applications
- Aluminum rocker lug fittings with FxM NST
- Rubber cover helps prevent cuts and abrasions and is oil resistant
- Custom lengths and threads are available upon request

SKU	Fittings Sizes	Length	Max Pressure	Price
A2160250005NSTALRL	2-1/2"	5'	300 psi	\$109.95
A2160250010NSTALRL	2-1/2"	10'	300 psi	\$129.95
A2160250015NSTALRL	2-1/2"	15'	300 psi	\$164.95
A2160250025NSTALRL	2-1/2"	25'	300 psi	\$214.95
A2160250050NSTALRL	2-1/2"	50'	300 psi	\$349.95
A216040005NSTALRL	4"	5'	250 psi	\$299.95
A2160400010NSTALRL	4"	10'	250 psi	\$449.95
A216050005NSTALRL4	4-1/2"	5'	200 psi	\$359.95
A2160500010NSTALRL	4-1/2"	10'	200 psi	\$459.95

STARTING AT
\$669.95**HYDRANT PUMPER PORT GATE VALVES**

- Low friction loss
- Slow open/close
- Hard anodized gate and stainless steel spindle for best corrosion protection
- Material: Lightweight aluminum alloy

SKU	Inlet	Thread Pattern	Outlet	Thread Pattern	Price
HH80040NHM40NH	4"	FNST	4"	MNST	\$669.95
HH8004040NH	4"	Storz	4"	FNST	\$679.95
HH80045NHM45NH	4-1/2"	FNST	4-1/2"	MNST	\$689.95
HH8005045NH	5"	Storz	4-1/2"	FNST	\$729.95

STARTING AT
\$89.95**RIGID FEMALE TO MALE ADAPTERS**

- Hard-coated to resist corrosion and abrasion
- Rocker lug fittings
- Material: Lightweight aluminum alloy

SKU	Inlet	Thread Pattern	Outlet	Thread Pattern	Price
AAA137212NH4NH	2-1/2"	FNST	4"	MNST	\$99.95
AAA137212NH412NH	2-1/2"	FNST	4-1/2"	MNST	\$109.95
AAA1374NH212NH	4"	FNST	2-1/2"	MNST	\$89.95
AAA1374NH412NH	4"	FNST	4-1/2"	MNST	\$109.95
AAA137412NH212NH	4-1/2"	FNST	2-1/2"	MNST	\$129.95
AAA137412NH4NH	4-1/2"	FNST	4"	MNST	\$109.95

STARTING AT
\$369.95**BRASS HYDRANT GATE VALVE**


- Features rubber seal, speed handle, non-rising stem and rocker lug swivel
- 2-1/2" FxM NST
- Made in the USA

SKU	Lead Free	Price
DHGV250F	No	\$369.95
S123PF250AM250ALF	Yes	\$449.95

\$274.95**ALUMINUM HYDRANT GATE VALVES**

- Excellent for hydrant and other water control
- Max Pressure: 250 psi
- 2-1/2" FxM NST
- Spinning knob on hand wheel for easy open/close
- Built-in slow close safety operation
- Lightweight anodized aluminum for corrosion resistance
- Stainless steel spindle

SKU	Price
HHHGV25NH25NH	\$274.95

STARTING AT
\$35.95**RIGID FEMALE TO MALE ADAPTERS**

- Pin lug fittings
- Material: Brass

SKU	Inlet	Thread Pattern	Outlet	Thread Pattern	Price
PP673	2-1/2"	FNST	3/4"	MGHT	\$35.95
DHA2510T	2-1/2"	FNST	1"	MNPT	\$38.95
PP67304	2-1/2"	FNST	1-1/2"	MNPT	\$39.95
PP67305	2-1/2"	FNST	2"	MNPT	\$35.95
DHA4025F	4"	FNST	2-1/2"	MNST	\$144.95
DHA4525F	4-1/2"	FNST	2-1/2"	MNST	\$169.95

HYDRANT ACCESSORIES



KUPFERLE ECLIPSE #9700 PORTABLE AUTOMATIC FLUSHING STATION

STARTING AT
\$2,294.00

- Flush dead end mains automatically
- Maintain consistently safe residuals
- Lockable, secure aluminum enclosure
- Connection: 2-1/2" NST
- Pressure: 220 psi
- Battery: 9V
- Material: Aluminum
- Approved Green Project Funding Program

SKU	Flow Rate	Valve Size	Color	Price
K9700ARED	65 gpm	1"	Red	\$2,294.00
K9700AYEL	65 gpm	1"	Yellow	\$2,294.00
K9700RED	200 gpm	2"	Red	\$2,544.00
K9700YEL	200 gpm	2"	Yellow	\$2,544.00

Pollardwater

STARTING AT
\$29.95

HYDRANT WRENCH & SPANNER

- Opens hydrants with up to 1-3/4" pentagon or 1-1/4" square nuts
- Can be used on both pin lug and rocker lug connections
- Heavy-duty forged head with zinc coating
- 15" carbon steel non-slip handle with knurled grip
- Meets ASTM 1020 specifications



PP66602



PP66604

SKU	Type	Price
PP66602	Pin/Rocker Lugs	\$29.95
PP66604	Storz	\$35.95

Pollardwater

\$175.95

12 VDC PURGEPRO SUBMERSIBLE UTILITY PUMP

- Ideal for hydrants, meter pits and vaults that need to be drained
- Max Flow: 4.75 gpm
- Max Head: 42'
- Continuous duty rated
- Fresh and salt water rated
- Built-in strainer
- Plugs into your vehicle's 12V cigarette lighter with 13 foot of cable
- Includes 10' discharge hose and carry case



SKU	Type	Price
PP69425	PurgePro	\$175.95
A3010050410	Replacement Hose	\$9.95

HOSE RAMPS

\$799.95

- Ideal for use in road construction or by municipalities and contractors
- Sectional design for ease of portability
- Single set covers a standard traffic lane of 12'
- Built to withstand loads up to 47,500 lbs per wheel, these hose ramps will protect hose or cable while allowing uninterrupted traffic flow
- Center channel will accommodate up to 3" diameter hose without damaging the hose
- Serrated edges grab and hold; no sliding around like cheaper versions
- Nest together for storage
- Integral section clips snap together for tool-free assembly and disassembly
- Material: Lightweight aluminum alloy




SKU	Type	Price
PHOSERAMPALHR	Hose Ramp	\$799.95
PRAMPCLIPS	(12) Clips for Hose Ramp	\$59.95

Pollardwater

\$104.95

KINGLOCK K3 HYDRANT LOCK

- Low profile hydrant lock with white reflective band for increased visibility
- Add any padlock or barrel lock
- Corrosion-resistant, with stainless steel swivel hasp and set screws
- Fits hydrants that use a 1-1/2" pentagon operating nut
- Adapter available for 1-1/4" pentagon nuts



SKU	Type	Price
PKINGLOCKK3	Hydrant Lock	\$104.95
PKINGLOCKINSERT	Adapter for 1-1/4" Pentagon Nuts	\$10.95

\$112.75
NEW

FOOD-GRADE HYDRANT GREASE

- USDA H1 food-grade grease
- Size: 14.5 oz
- Water resistant and applies with a smooth, buttery texture with little or no tackiness
- High level antiwear performance
- Superior rust and corrosion protection
- Excellent demulsibility as one of the most water-resistant food-grade greases
- Contains Micronox, a technology developed with unsurpassed performance in preserving and protecting food-grade lubricants from microbial contamination
- Package Quantity: 10 tubes/box


SKU	Price
J00801052	\$112.75

\$33.50
HYDRANT FLUSHING SIGNS

- Double-sided signs provide a courtesy advisory to customer
- Yellow caution warns traffic and pedestrians
- Rugged polyethylene construction
- Size: 20" H x 12" W
- Color: Yellow
- Lettering: CAUTION – HYDRANT FLUSHING TODAY



SKU	Price
APFR618	\$33.50


"OUT OF SERVICE" DISKS

- Visually identifies unusable hydrants
- Warns against hookup in cases of emergency
- Durable HDPE is unaffected by abuse or severe temperature changes
- Highly visible graphics are easy to read
- Lettering: OUT OF SERVICE
- Smaller disks fit 2-1/2" hydrant nozzles and larger disks fit 4" or 4-1/2" hydrant nozzles

SKU	ID	OD	Thickness	Color Disk/Lettering	Price	Price/50+	Price/100+
A PP68501	3-1/8"	7-1/2"	0.035"	Black/White	\$6.25	\$5.65	\$5.30
B PP68505	3-1/8"	7-1/2"	0.035"	Blue/White	\$6.25	\$5.65	\$5.30
C PP68507	3-1/8"	7-1/2"	0.035"	Red/White	\$6.25	\$5.65	\$5.30
D PP68503	3-1/8"	7-1/2"	0.055"	Reflective White/Blue	\$7.95	\$7.15	\$6.70
A PP68502	5-3/4"	11"	0.035"	Black/White	\$8.25	\$7.45	\$7.00
B PP68506	5-3/4"	11"	0.035"	Blue/White	\$8.25	\$7.45	\$7.00
C PP68508	5-3/4"	11"	0.035"	Red/White	\$8.25	\$7.45	\$7.00
D PP68504	5-3/4"	11"	0.055"	Reflective White/Blue	\$10.49	\$9.45	\$8.90

Pollardwater

**STARTING AT
\$18.49**

FOOD-GRADE LUBRICANTS

- Use on all types of pipe thread to prevent rust, corrosion and seizing
- Great for lubricating hydrant threads when pressure testing or flushing
- Meets FDA 21 CFR requirements

SKU	Size	Type	Price
PPWC134	8 oz	Brush Top Lid	\$18.49
PP67751	16 oz	Brush Top Lid	\$27.95
PP67752	11 oz	Aerosol Spray	\$19.95

\$64.95

HEAVY-DUTY "HYDRANT OUT OF SERVICE" BAGS

- Super durable, reusable and construction site tough
- Custom bags available
- Weather proof out-of-service bags fit over most hydrants
- Secure bag to hydrant by using the eyelets at bottom of the bag
- Lettering: HYDRANT OUT OF SERVICE
- Material: Fiber reinforced vinyl
- Sold individually

SKU	Color	Price
PP69201	Yellow with Black Lettering	\$64.95
PP69202	Red with White Lettering	\$64.95
PP69203	Orange with Black Lettering	\$64.95

**STARTING AT
\$5.30**

DELIVERING QUALITY SINCE 1837

Pollardwater


NEW

CHLORPRO SERIES CHEMICAL INJECTOR



- Chlorinate and dechlorinate with one device
- Designed for new water main disinfection projects with high level chlorine concentrations
- Chlorinate using Calcium Hypochlorite 65% or Sodium Hypochlorite 12.5% solutions
- Dechlorinate using liquid Captor® (Calcium Thiosulfate)
- Flow Rate: 100-400 gpm (Bluetooth)
- Easy-to-use digital push button settings
- 120 VAC power required
- Includes carry case

SKU	Type	Price
POLCP50	ChlorPro 25-50 PPM	\$3,465.00
PCPU100	ChlorPro Ultra 50-100 PPM	\$3,725.00
ANAHYPO1255	Sodium Hypochlorite 5 Gal	\$50.00
PCAPTOR5	CAPTOR® 5 Gal	\$74.95



SHOP ALL OF THESE PRODUCTS
AND MORE AT **POLLARDWATER.COM**.



Pollardwater

TAKE ADVANTAGE OF FREE SHIPPING ON
ONLINE ORDERS—ALL DAY, EVERY DAY*.

POLLARDWATER.COM

*Free standard ground shipping for online orders in the contiguous U.S. Some exclusions may apply.
Prices valid at time of publication but are subject to change without notice.

©2021 Ferguson Enterprises, LLC 0621 2777209

powered by
FERGUSON